MATERIAL DECLARATION SHEET



Reliable	Electron	ic Sol	lutions
TICHHOLC.	LICCLIOIL	$\iota \iota \iota \cup \iota \iota \iota$	MINUME

Motorial #	Model 4206K I
Material #	Model 4306K-L
Product Line	Resistor Network
Date	02-January-2006
RoHS Compliant	Yes



No.	Construction Element	Material Group	Material Weight [g]	Materials	CAS If applicable	Average Mass [%]	Sum [%]
1	Element						25.55
		Ceramic	0.12883	Alumina	1344-28-1	25.37	
		Conductor	0.000020	Tantalum Nitride	12033-62-4		
		Ink	0.000013	Titanium	7440-32-6		
		Glaze	0.000035	Palladium	7440-05-3	0.01	
			0.000412	Gold	7440-57-5	0.08	
			0.000322	Copper	7440-50-8	0.06	
			0.000160	Nickel	7440-02-0	0.03	
2	Terminal Pins						15.52
		Copper	0.0780	Copper	7440-50-8	15.36	
		Plating	0.0008	Tin	7440-31-5	0.16	
3	Termination	•					5.72
		Solder	0.0029	Tin	7440-31-5	0.58	
			0.0255	Lead	7439-92-1	5.02	
			0.0006	Silver	7440-22-4	0.12	
4	Body						53.21
	,	Plastic	0.1882	Silica, Vitreous	60676-86-0	37.06	
			0.0456	Epoxy Cresol Novalac Resin	29690-82-2	8.99	
			0.0188	Phenolic Resin	9003-35-4	3.71	
			0.0067	Antimony Oxide	1309-64-4	1.32	
			0.0108	TBBPA	79-94-7	2.13	
		Total Weight	0.507846				

MATERIAL DECLARATION SHEET



Contact person	Cathy Godfrey	Bourns , Inc. 1200 Columbia Ave.	
Bourns location	Riverside, CA		
Phone	Ext. 5008	Riverside, CA 92507 USA	
Fax		phone: 909 781-5690	
e-mail	Cathy_Godfrey@bourns.com	fax: 909 781-5273	

Important Remarks:

- 1. Traces are product parts substances etc. that are below a percentage of 0.1% of total weight.
- 2. A list of the legally regulated substances or materials is available at internet address http://www.eicta.org/content.asp?pageID=113
- 3. Substances, materials etc. with possible harm to men and environment are listed.
- 4. There are no risks for human beings and to the environment if products are used properly as designated. This shall not apply to risks caused during procedures for disposal etc.
- 5. All statements herein are based on our present knowledge.